

Eurofins Miljø A/S
 Ladelundvej 85
 6600 Vejen
 DÅNEMARK

Person in charge Mr. M. Wolter
ASM Mr. M. Wolter

Report date 15.10.2018

Analytical report
AR-18-SF-061621-01

Sample Code
724-2018-00063764
Reference

 Rohwasser
 Ny boring - Rekvisition
 Steril 500 ml plast
 Plast 500 ml alm
 Plast 500 ml alm
 Diverse 30 ml Plastrør
 Glas 300 ml Brun medicin + Kalk
 Glas 500 ml Grøn flaske
 Glas 500 ml Grøn flaske
 Glas 500 ml Grøn flaske
 Plast 250 ml alm
 Glas 100 ml Alm + Sort låg
 Glas 100 ml Til sulfid
 Glas 100 ml Til sulfid
 Diverse Methan Glas
 Diverse Methan Glas
 Eurofins Miljø A/S
 Eurofins Miljø A/S
 11.10.2018
 DHL
 EUDKVE00010427
 10.10.2018
 835-2017-80536451
 11.10.2018
 15.10.2018

Sample sender
Prescriber
Reception date time
Transport by
Client Purchase order nr.
Purchase order date
Client sample code
Start analysis
End analysis
Analysis

pesticide screening in water - LC/MS/MS

Testcode

SFWDO

Method

Internal Method

Page 1/7

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE155557279
 Gerichtstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE155557279


 Durch die Deutsche Akkreditierungsstelle GmbH
 (DAKkS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

 Die Akkreditierung gilt für die in der Urkunde
 aufgeführten Prüfverfahren

Test results

Parameter	Measurement	Unit	Result	LOQ
SFWD0: LC-MS/MS [LC-MS/MS] // LA-LCMS-027-05 (#)				
Screened pesticides	LC-MS/MS [LC-MS/MS]		<LOQ	

LOQ = limit of quantification

MRL = Maximum Residue Level

<LOQ = below limit of quantification

(#) = SOFIA (Berlin) is accredited for this test.

Signature



Analytical Service Manager (Marie-Ange Gnanko)

List of analysed substances:
SFWD0 pesticide screening in water - LC/MS/MS

Substance	Reporting Limit µg/l	Substance	Reporting Limit µg/l
2,4'-Formoxylidid (Amitraz Metabolite)	0.05	3-Hydroxycarbofuran	0.05
6-Chlor-3-phenylpyridazin-4-ol	0.05	Abamectin	0.05
Acephate	0.05	Acetamiprid	0.05
Acetochlor	0.05	Alachlor	0.05
Aldicarb	0.05	Aldicarb-sulfone	0.05
Aldicarb-sulfoxide	0.05	Ametoctradin	0.05
Ametryn	0.05	Amidosulfuron	0.05
Aminocarb	0.05	Amitraz	0.05
Ancymidol	0.05	Atrazin, desethyl-	0.05
Atrazine	0.05	Azaconazole	0.05
Azamethiphos	0.05	Aziprotryn	0.05
Azoxystrobin	0.05	Benalaxyl	0.05
Bendiocarb	0.05	Benfuracarb	0.05
Benodanil	0.05	Benomyl	0.05
Bensulfuron methyl	0.05	Benthiavalicarb, isopropyl-	0.05
Bitertanol	0.05	Boscalid	0.05
Bromacil	0.05	Bupirimate	0.05
Buprofezin	0.05	Butachlor	0.05
Butocarboxim	0.05	Butocarboxim-sulfoxide	0.05
Butoxycarboxim	0.05	Buturon	0.05
Cadusaphos	0.05	Carbaryl	0.05
Carbendazim	0.05	Carbofuran	0.05
Carbosulfan	0.05	Carboxin	0.05
Chlorantraniliprole	0.05	Chlorbromuron	0.05
Chlorfluazuron	0.05	Chloridazone	0.05
Chlorotoluron	0.05	Chloroxuron	0.05
Chlorpropham	0.05	Chlorsulfuron	0.05
Cinidon-ethyl	0.05	Cinosulfuron	0.05
Clethodim	0.05	Clodinafop-propargyl	0.05
Clofentezine	0.05	Clomazone	0.05
Clothianidin	0.05	Cyanazine	0.05
Cyazofamid	0.05	Cymoxanil	0.05
Cyproconazole	0.05	Cyprodinil	0.05
Cyprofuram	0.05	Cyromazine	0.05
Demeton	0.05	Demeton-S-methyl	0.05
Demeton-S-methyl-sulfone	0.05	Desmedipham	0.05
Desmetryn	0.05	Diazinon	0.05
Dichlorvos	0.05	Diclobutrazol	0.05

Page 3/7

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE155557279
 Gerichtstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH (DAKKS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on request

SFWD0 pesticide screening in water - LC/MS/MS

Substance	Reporting Limit µg/l	Substance	Reporting Limit µg/l
Diethofencarb	0.05	Diethyltoluamide	0.05
Difenoconazole	0.05	Difenoxuron	0.05
Diflubenzuron	0.05	Diflufenican	0.05
Dimefox	0.05	Dimefuron	0.05
Dimethenamid	0.05	Dimethoate	0.05
Dimethomorph	0.05	Dimetilan	0.05
Dimoxystrobin	0.05	Dinotefuran	0.05
Disulfoton	0.05	Disulfoton-sulfon	0.05
Disulfoton-sulfoxide	0.05	Diuron	0.05
Emamectin (Sum)	0.05	Epoxiconazole	0.05
Ethiofencarb	0.05	Ethiofencarb-sulfone	0.05
Ethiofencarb-sulfoxide	0.05	Ethiprole	0.05
Ethofumesat-2-keto	0.05	Ethofumesate	0.05
Ethoprophos	0.05	Etofenprox	0.05
Etoxazole	0.05	Famoxadone	0.05
Fenamidone	0.05	Fenamiphos	0.05
Fenamiphos-sulfone	0.05	Fenamiphos-sulfoxide	0.05
Fenarimol	0.05	Fenazaquin	0.05
Fenbuconazole	0.05	Fenhexamid	0.05
Fenobucarb	0.05	Fenoxaprop-ethyl	0.05
Fenoxycarb	0.05	Fenpiclonil	0.05
Fenpropidin	0.05	Fenpropimorph	0.05
Fenpyroximate	0.05	Fensulfothion	0.05
Fensulfothion-oxon-sulfone	0.05	Fensulfothion-oxon-sulfoxide	0.05
Fensulfothion-sulfone	0.05	Fenthion	0.05
Fenthion-oxon	0.05	Fenthion-oxon-sulfone	0.05
Fenthion-oxon-sulfoxide	0.05	Fenthion-sulfone	0.05
Fenthion-sulfoxide	0.05	Fenuron	0.05
Flazasulfuron	0.05	Flonicamid	0.05
Florasulam	0.05	Fluazifop-P-butyl	0.05
Fluazuron	0.05	Flucyclohexuron	0.05
Fludioxonil	0.05	Flufenacet	0.05
Flufenoxuron	0.05	Fluometuron	0.05
Fluopicolid	0.05	Flurochloridone	0.05
Flurprimidol	0.05	Flusilazole	0.05
Flutriafol	0.05	FM-6-1	0.05
Formetanate	0.05	Fosthiazate	0.05
Fuberidazole	0.05	Furathiocarb	0.05
Halofenozide	0.05	Haloxyfop-2-ethoxyethyl	0.05
Haloxyfop-methyl	0.05	Hexaconazole	0.05
Hexaflumuron	0.05	Hexazinone	0.05
Hexythiazox	0.05	Imazalil	0.05
Imibenconazole	0.05	Imidacloprid	0.05

Page 4/7

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE155557279
 Gerichtsstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH (DAKKS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on request

SFWD0 pesticide screening in water - LC/MS/MS

Substance	Reporting Limit µg/l	Substance	Reporting Limit µg/l
Indoxacarb	0.05	Iodosulfuron methyl	0.05
Iprovalicarb	0.05	Isoprocarb	0.05
Isoprothiolane	0.05	Isoproturon	0.05
Isoxaben	0.05	Isoxaflutole	0.05
Isoxathion	0.05	Lenacil	0.05
Linuron	0.05	Lufenuron	0.05
Malaoxon	0.05	Malathion	0.05
Mandipropamid	0.05	Mepanipyrim	0.05
Metalaxyl	0.05	Metamitron	0.05
Metazachlor	0.05	Metconazole	0.05
Methabenzthiazuron	0.05	Methacriphos	0.05
Methamidophos	0.05	Methidathion	0.05
Methiocarb	0.05	Methiocarb-sulfone	0.05
Methiocarb-sulfoxide	0.05	Methomyl	0.05
Methoprotryne	0.05	Methoxyfenozide	0.05
Metobromuron	0.05	Metolachlor	0.05
Metolcarb	0.05	Metoxuron	0.05
Metrafenone	0.05	Metribuzin	0.05
Metsulfuron-methyl	0.05	Molinate	0.05
Monocrotophos	0.05	Monolinuron	0.05
Monuron	0.05	Napropamide	0.05
Neburon	0.05	Nicosulfuron	0.05
Novaluron	0.05	Nuarimol	0.05
Ofurace	0.05	Omethoate	0.05
Orbencarb	0.05	Oxadixyl	0.05
Oxamyl	0.05	Oxamyl-oxime	0.05
Oxydemeton-methyl	0.05	Paclobutrazol	0.05
Paraoxon-ethyl	0.05	Paraoxon-methyl	0.05
Penconazole	0.05	Pencycuron	0.05
Pendimethalin	0.05	Pentanochlor	0.05
Phenmedipham	0.05	Phorate	0.05
Phorate-sulfone	0.05	Phorate-sulfoxide	0.05
Phosmet	0.05	Phosphamidon	0.05
Phoxim	0.05	Picoxystrobin	0.05
Piperonyl butoxide	0.05	Pirimicarb	0.05
Pirimicarb, desmethyl-	0.05	Pirimicarb, desmethyl-formamido-	0.05
Primisulfuron-methyl	0.05	Prochloraz	0.05
Promecarb	0.05	Prometon	0.05
Prometryn	0.05	Propamocarb	0.05
Propargite	0.05	Propazine	0.05
Propham	0.05	Propiconazole	0.05
Propoxur	0.05	Propoxycarbazone	0.05
Proquinazid	0.05	Prosulfocarb	0.05

Page 5/7

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE155557279
 Gerichtsstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH
 (DAKKS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde
 aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on
 request

SFWD0 pesticide screening in water - LC/MS/MS

Substance	Reporting Limit µg/l	Substance	Reporting Limit µg/l
Prosulfuron	0.05	Pymetrozine	0.05
Pyraclostrobin	0.05	Pyraflufen-ethyl	0.05
Pyrethrins	5	Pyridate	0.05
Pyrimethanil	0.05	Pyrimidifen	0.05
Pyriproxyfen	0.05	Quizalofop ethyl	0.05
Rabenzazole	0.05	Rimsulfuron	0.05
Rotenone	0.05	Sebuthylazine	0.05
Sethoxydim	0.05	Silafluofen	0.05
Simazine	0.05	Simazine, desethyl-	0.05
Simeconazole	0.05	Spinosad	0.05
Spirodiclofen	0.05	Spiromesifen	0.05
Spirotetramat	0.05	Spiroxamine	0.05
Tebuconazole	0.05	Tebufenozide	0.05
Tebuconazole	0.05	Teflubenzuron	0.05
TEPP	0.05	Terbacil	0.05
Terbufos	0.05	Terbufos-sulfone	0.05
Terbufos-sulfoxide	0.05	Terbuthylazine	0.05
Terbuthylazine, desethyl-	0.05	Terbutryn	0.05
Tetraconazole	0.05	Thiabendazole	0.05
Thiabendazole, 5-hydroxy-	0.05	Thiacloprid	0.05
Thiamethoxam	0.05	Thiazafluron	0.05
Thifensulfuron methyl	0.05	Thiocarbazil	0.05
Thiodicarb	0.05	Thiofanox	0.05
Thiofanox-sulfone	0.05	Thiofanox-sulfone	0.05
Thiofanox-sulfoxide	0.05	Thiofanox-sulfoxide	0.05
Thiometon	0.05	Thionazin	0.05
Thiophanate (-ethyl)	0.05	Thiophanate-methyl	0.05
Triadimefon	0.05	Triadimenol	0.05
Triamiphos	0.05	Triasulfuron	0.05
Triazamate	0.05	Triazophos	0.05
Tribenuron-methyl	0.05	Trichlorfon	0.05
Tricyclazole	0.05	Tridemorph	0.05
Trietazine	0.05	Trifloxystrobin	0.05
Trifloxysulfuron	0.05	Triflumizole	0.05
Triflumuron	0.05	Triflusulfuron-methyl	0.05
Triforine	0.05	Trimethacarb, 3,4,5-	0.05
Triticonazole	0.05	Uniconazole	0.05
Vamidotion	0.05	Vamidotion-sulfone	0.05
Vamidotion-sulfoxide	0.05	Zoxamide	0.05

Page 6/7

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE155557279
 Gerichtsstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH (DAKKS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on request

